## REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to averege 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering end mainteining the data needed, end completing end reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be eware that notwithstanding any other provision of law, no person shall be subject to any penelty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE (DD-MM-YYYY) 2. REPORT TYPE			3. DATES COVERED (From - To)	
18-11-2013	Final Technical Rep		May 2011 - Apr 2013	
4. TITLE AND SUBTITLE		5a.	CONTRACT NUMBER	
Secretary of the Navy Professor of	f Oceanography			
		5b.	GRANT NUMBER	
			N00014-11-1-0519	
		5c.	PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)		5d.	PROJECT NUMBER	
Munk, Walter				
rum, rum		50	TASK NUMBER	
		Se.	ASK NOWBER	
		5f. \	VORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Scripps Institution of Oceanography			8. PERFORMING ORGANIZATION REPORT NUMBER	
			NEFORT NOIVIBER	
University of California at San Di	ego			
9500 Gilman Drive				
La Jolla, CA 92093-0210	ENOV NIAME(C) AND ADDDECC/EC)		10. SPONSOR/MONITOR'S ACRONYM(S)	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			To. of oldonymour on a Admonttings	
Office of Naval Research  875 North Randolph Street				
Arlington, VA 22203-1995			11. SPONSOR/MONITOR'S REPORT	
Armigion, VA 22203-1773			NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY S	TATEMENT			
Approved for public release; distri	ibution is unlimited			
13. SUPPLEMENTARY NOTES				
14 ABCTRACT				
			6.1 6. 1 1	
The principal research effort has b			of the surface gravity wave spectrum, lengths of	
The principal research effort has be come to 60 cm; these a principally	responsible for wind drag on water.	Analysis was b	ased on a unique data set from geophones and	
The principal research effort has be 2 cm to 60 cm; these a principally hydrophones at 5 1/2 km depth m	responsible for wind drag on water. idway between California and Hawai	Analysis was b ii. The measure	ased on a unique data set from geophones and I spectral intensity around 10 Hz gives a more	
The principal research effort has be 2 cm to 60 cm; these a principally hydrophones at 5 1/2 km depth maccurate measure of local winds the	responsible for wind drag on water. idway between California and Hawai nan the standard satellite scatterometrics.	Analysis was b ii. The measure ry. A spectral g	ased on a unique data set from geophones and I spectral intensity around 10 Hz gives a more ap at the 30 Hz gravity to capillary transition	
The principal research effort has be 2 cm to 60 cm; these a principally hydrophones at 5 1/2 km depth maccurate measure of local winds the	responsible for wind drag on water. idway between California and Hawai nan the standard satellite scatterometrics.	Analysis was b ii. The measure ry. A spectral g	ased on a unique data set from geophones and I spectral intensity around 10 Hz gives a more	
The principal research effort has be 2 cm to 60 cm; these a principally hydrophones at 5 1/2 km depth maccurate measure of local winds the offers new opportunities for spect A continuing effort towards the accurate the spect of the spect o	responsible for wind drag on water. idway between California and Hawai ann the standard satellite scatterometral monitoring. We are making progresses coustic monitoring of ocean processes	Analysis was bii. The measure ry. A spectral g ess towards und s has been direct	ased on a unique data set from geophones and dispectral intensity around 10 Hz gives a more ap at the 30 Hz gravity to capillary transition derstanding the generation processes.	
The principal research effort has been continuing effort towards the accurate measure of local winds the offers new opportunities for spectal continuing effort towards the accurate the floating ice sheet and	responsible for wind drag on water, idway between California and Hawai nan the standard satellite scatterometral monitoring. We are making programustic monitoring of ocean processe the sea floor. We are exploring a positive sea floor.	Analysis was bit. The measure ry. A spectral gress towards und s has been directly ssible tomogra	ased on a unique data set from geophones and a spectral intensity around 10 Hz gives a more ap at the 30 Hz gravity to capillary transition derstanding the generation processes.  Setted at the polar ocean cavities sandwiched only experiment in the Ross Sea with the goal of	
The principal research effort has been to 60 cm; these a principally hydrophones at 5 1/2 km depth miccurate measure of local winds the offers new opportunities for spect A continuing effort towards the acceptage in the floating ice sheet and better predicting polar ice melting	responsible for wind drag on water. idway between California and Hawai ann the standard satellite scatterometral monitoring. We are making progresses coustic monitoring of ocean processes	Analysis was bit. The measure ry. A spectral gress towards und s has been directly ssible tomogra	ased on a unique data set from geophones and a spectral intensity around 10 Hz gives a more ap at the 30 Hz gravity to capillary transition derstanding the generation processes.  Setted at the polar ocean cavities sandwiched only experiment in the Ross Sea with the goal of	
The principal research effort has been to 60 cm; these a principally hydrophones at 5 1/2 km depth maccurate measure of local winds the offers new opportunities for spect. A continuing effort towards the acceptate the floating ice sheet and petter predicting polar ice melting	responsible for wind drag on water, idway between California and Hawai nan the standard satellite scatterometral monitoring. We are making programustic monitoring of ocean processe the sea floor. We are exploring a positive sea floor.	Analysis was bit. The measure ry. A spectral gress towards und s has been directly ssible tomogra	ased on a unique data set from geophones and a spectral intensity around 10 Hz gives a more ap at the 30 Hz gravity to capillary transition derstanding the generation processes.  Setted at the polar ocean cavities sandwiched only experiment in the Ross Sea with the goal of	
The principal research effort has been come to 60 cm; these a principally hydrophones at 5 1/2 km depth maccurate measure of local winds the offers new opportunities for spectal continuing effort towards the accetween the floating ice sheet and better predicting polar ice melting 15. SUBJECT TERMS	responsible for wind drag on water, idway between California and Hawai nan the standard satellite scatterometral monitoring. We are making programustic monitoring of ocean processe the sea floor. We are exploring a positive sea floor.	Analysis was bii. The measure ry. A spectral g ess towards und s has been direct ossible tomogra rise in sea level	ased on a unique data set from geophones and a spectral intensity around 10 Hz gives a more cap at the 30 Hz gravity to capillary transition derstanding the generation processes.  Setted at the polar ocean cavities sandwiched only experiment in the Ross Sea with the goal of the capillary transition and the capillary transition derstanding the generation processes.	
The principal research effort has be 2 cm to 60 cm; these a principally hydrophones at 5 1/2 km depth maccurate measure of local winds the offers new opportunities for spect. A continuing effort towards the accetween the floating ice sheet and better predicting polar ice melting 15. SUBJECT TERMS	responsible for wind drag on water, idway between California and Hawai an the standard satellite scatterometral monitoring. We are making progresustic monitoring of ocean processe the sea floor. We are exploring a poprocesses and the associated global	Analysis was bii. The measure ry. A spectral g ess towards und s has been direct ossible tomogra rise in sea level	ased on a unique data set from geophones and dispectral intensity around 10 Hz gives a more rap at the 30 Hz gravity to capillary transition derstanding the generation processes.  Setted at the polar ocean cavities sandwiched only experiment in the Ross Sea with the goal of the control of t	
The principal research effort has be 2 cm to 60 cm; these a principally by drophones at 5 1/2 km depth maccurate measure of local winds the offers new opportunities for spectors. A continuing effort towards the accetween the floating ice sheet and better predicting polar ice melting 15. SUBJECT TERMS  Wind-drag, ocean surface roughness.	responsible for wind drag on water, idway between California and Hawai an the standard satellite scatterometral monitoring. We are making progresustic monitoring of ocean processe the sea floor. We are exploring a poprocesses and the associated global ess, capillaries, acoustic tomography.	Analysis was bii. The measurery. A spectral gress towards under sharp been directly sharp been directly sible tomographise in sea levely, Arctic oceanog	ased on a unique data set from geophones and a spectral intensity around 10 Hz gives a more rap at the 30 Hz gravity to capillary transition derstanding the generation processes.  Attended at the polar ocean cavities sandwiched only experiment in the Ross Sea with the goal of the graphy, sea level rise	
The principal research effort has be 2 cm to 60 cm; these a principally hydrophones at 5 1/2 km depth maccurate measure of local winds the offers new opportunities for spect. A continuing effort towards the accetween the floating ice sheet and better predicting polar ice melting 15. SUBJECT TERMS  Wind-drag, ocean surface roughnous 16. SECURITY CLASSIFICATION OF	responsible for wind drag on water. idway between California and Hawai ann the standard satellite scatterometral monitoring. We are making progresses the sea floor. We are exploring a poprocesses and the associated global ess, capillaries, acoustic tomography.  17. LIMITATION OF 18.	Analysis was bii. The measurery. A spectral gress towards und shas been directly been been directly been specified in sea level.  Arctic oceanogous NUMBER 19a.	ased on a unique data set from geophones and a spectral intensity around 10 Hz gives a more cap at the 30 Hz gravity to capillary transition derstanding the generation processes.  Attention the polar ocean cavities sandwiched only experiment in the Ross Sea with the goal of the graphy, sea level rise	
2 cm to 60 cm; these a principally hydrophones at 5 1/2 km depth maccurate measure of local winds the offers new opportunities for spect. A continuing effort towards the active the floating ice sheet and better predicting polar ice melting 15. SUBJECT TERMS  Wind-drag, ocean surface roughness.	responsible for wind drag on water, idway between California and Hawai an the standard satellite scatterometral monitoring. We are making progresustic monitoring of ocean processe the sea floor. We are exploring a poprocesses and the associated global ess, capillaries, acoustic tomography.	Analysis was bii. The measurery. A spectral gress towards und shas been directly as has been directly as his been	ased on a unique data set from geophones and a spectral intensity around 10 Hz gives a more rap at the 30 Hz gravity to capillary transition derstanding the generation processes.  Setted at the polar ocean cavities sandwiched only experiment in the Ross Sea with the goal of graphy, sea level rise	

## Secretary of the Navy Professor of Oceanography

Walter H. Munk
Scripps Institution of Oceanography, University of California, San Diego
La Jolla, CA 92093-0225
phone: (858) 534-2877 email: wmunk@ucsd.edu

Award Number: N00014-11-1-0519 Final Technical Report 01 May 2011 through 30 April 2013

The principal research effort has been towards understanding the high-frequency tail of the surface gravity wave spectrum, lengths of 2 cm to 60 cm; these a principally responsible for wind drag on water. Analysis was based on a unique data set from geophones and hydrophones at 5 1/2 km depth midway between California and Hawaii. The measured spectral intensity around 10 Hz gives a more accurate measure of local winds than the standard satellite scatterometry. A spectral gap at the 30 Hz gravity to capillary transition offers new opportunities for spectral monitoring. We are making progress towards understanding the generation processes.

A continuing effort towards the acoustic monitoring of ocean processes has been directed at the polar ocean cavities sandwiched between the floating ice sheet and the sea floor. We are exploring a possible tomography experiment in the Ross Sea with the goal of better predicting polar ice melting processes and the associated global rise in sea level.

## **PUBLICATIONS**

Farrell, W. and W. Munk, (2010). Booms and Busts in the Deep. *Journal of Physical Oceanography*, **40**, 2159-2169.

Munk, W. (2011) The Sound of Climate Change: Crafoord Prize Scientific Lecture, Tellus, 1-8.

- Worcester, P.F., W.H. Munk, B.D. Cornuelle, M.A. Dzieciuch, and K.E. Wage (2011), Exploring an under-ice ocean cavity with sound, paper presented at XXV IUGG General Assembly, Melbourne, Australia, 28 June 7 July 2011.
- Munk, W. (2011) Nansen Center 1986-2011: A View from La Jolla. *Presentations from the Nansen Center's 25 Years Colloquium*, http://www.nersc.no/news/presentations-nansencenter%C2%B4s-25-years-colloquium-available.

20/3/125201

- Worcester, P. F., and W. H. Munk (2012), Oceanography in 2030: The role of acoustics in observing the ocean, 2012 Ocean Sciences Meeting, Salt Lake City, Utah, 20–24 February 2012. (POSTER)
- Worcester, P. F., W. H. Munk, B. D. Cornuelle, M. A. Dzieciuch, and K. E. Wage (2012), Exploring an under-ice ocean cavity with sound, 2012 Ocean Sciences Meeting, Salt Lake City, Utah, 20–24 February 2012. (ORAL)
- Munk, W. and C. Pendarvis (2012) Where the Swell Begins. Groundswell Publication Annual Publication, 5, 242-257, in press.
- Dashen, R. and W. Munk (2013) A Model of Ocean Noise, JASA Special Issue, in press.
- Farrell, W. and W. Munk (2013) Surface gravity waves and their acoustic signatures, 1-30 Hz, on the mid-Pacific sea floor, JASA Special Issue, 134(4).
- Young, W.R., C.L. Wolfe, and W.H. Munk (2013) Generation of gravity-capillary waves by instability of shear flow, J. Fluid Mech., submitted.
- Munk, W. (2013) The perfect storm. Proceedings of the American Philosophical Society, in press.

## Meetings and Invited Talks

Courant Institute of Mathematical Science, Center for Atmosphere Ocean Science Colloquium, **Invited Lecture**: Exploring an under-ice ocean cavity with sound, New York University, 04 November 2010

Attended: MEDEA Ocean Panel; Herndon, VA; 17-20 January 2011

Attended: American Philosophical Society Annual Meeting 28-30 April 2011

Invited Talk: Scripps Then, Now, and in the Future; Scripps Institution of Oceanography, La Jolla, CA; 12 May 2011

Attended: International Symposium on Interactions of Glaciers and Ice Sheets with the Ocean SIO, Scripps Institution of Oceanography, La Jolla, CA; 5-10 June 2011

Attended: Algae + Fish = Ocean Mixing? Conference, La Jolla, CA; 5-6 July 2011

Attended: JASON Summer Session; July 2011

Attended: Meeting of the Navy Chairs, ONR, Washington, D.C.; 18 August 2011

Attended: The Venice Conference: Improving the Capacity to Assess and to Adapt to Climate Change in Urban Coastal Regions, Venice Italy, 12-15 September 2011

Invited Talk: Waves, long and short, Fourteenth NPAL (North Pacific Acoustic Laboratory) Workshop; Fallbrook, CA; 20 October 2011

Keynote Address: *Waves, long and short*, Symposium to honour the scientific work of Klaus Hasselmann at the Max Planck Institute for Meteorology; Hamburg, Germany; 09 November 2011

Keynote Address: Nansen Center 1986-2011: A View from La Jolla, Nansen Center 25 Year Colloquium, In Honour of Fridtjof Nansens 150 Year Anniversary; Bergen, Norway; 18 November 2011

Invited Talk: Waves, long and short, National Oceanography Centre Lecture Series; NOC Southampton; 24 November 2011

Invited Talk: 2012 Distinguished Speakers Series, Riford Center; La Jolla, CA; 26 January 2012

Invited Talk: Science and Technology on the Homefront, 2012 Lecture Series, La Jolla Historical Society; La Jolla, CA; 07 April 2012

Attended: The American Philosophical Society Annual Meeting; Philadelphia, PA; 19-21 April 2012

Attended: JASON Spring Meeting; Arlington, VA; 27-29 April 2012

Attended: The National Academy of Sciences Annual Meeting; Washington, DC; 29 April – 01 May 2012

Invited Talk: Wind drag and ultra-gravity waves, IUGG Conference on Mathematical Geophysics; University of Edinburgh, 18-22 June 2012

Attended: Laying of the Keel of the Ocean Class Oceanographic Vessels AGOR 27 & AGOR 28; Anacortes, WA; 17 August 2012

Birch Aquarium at Scripps, University of California, San Diego (La Jolla, CA) Distinguished Speakers Series: "Where the Swell Begins" (October 8, 2012)

Southern Ocean Observing System Workshop - Seeing Below the Ice (Hobart, Tasmania) "Where the Swell Begins" (October 22-25, 2012)

CSIRO Student Symposium (Hobart, Tasmania) "Where the Swell Begins" (October 26, 2012)

Symposium and Reception at Tokyo University "A Discussion with Walter Munk" (November 7, 2012)

Kyoto Prize Presentation at the Atheneum (La Jolla, CA) "Reflections of a Past Laureate on the 2012 Kyoto Prize Ceremony" (November 28, 2012)

Penn State University (State College, PA) "Where the Swell Begins" (February 5, 2013)

Groundswell Society Annual Meeting (La Jolla, CA) "Where the Swell Begins" (February 16, 2013)

Keck Theory Seminar at Scripps Institution of Oceanography, UCSD (La Jolla, CA) "Where the Swell Begins" (March 30, 2013

The American Philosophical Society Annual Meeting (Philadelphia, PA) The Penrose Memorial Lecture: "The Perfect Storm" (April 24-26. 2013)